

# DECKBLATT ZUM SICHERHEITSDATENBLATT

überarbeitet am: 15.12.2025

## PRODUKTIDENTIFIKATION:

Handelsname: Autosol Marine Compound & Wax

## LIEFERANT, DER DAS SICHERHEITSDATENBLATT ÜBERMITTELT:

SÜDO JASA AG

Müslistrasse 43

8957 Spreitenbach

Schweiz

Tel: +41 44 439 90 50

sds@suedojasa.ch

**Nationale Notfallnummer: 145 (24h erreichbar, Tox Info Suisse, Zürich; für Anrufe aus der Schweiz, Auskünfte auf Deutsch, Französisch und Italienisch)**

## INFORMATIONEN FÜR DIE VERWENDER BETREFFEND:

### Abschnitt 7 - Handhabung und Lagerung

#### Schweizerische Anforderungen gemäß EKAS-Richtlinien und SUVA-Merkblättern:

Die aktuellen Anforderungen für Handhabung und Lagerung sind zu entnehmen aus:

- Relevante EKAS-Richtlinien (z.B. Nr. 1825 für brennbare Flüssigkeiten)
- SUVA-Merkblatt 11030 (Gefährliche Stoffe - Was man darüber wissen muss)
- SUVA-Merkblatt 44040 (Explosionsschutz bei Spritzarbeiten, falls zutreffend)
- Produktspezifische SUVA-Merkblätter je nach Stoffart

Verfügbar unter: [www.suva.ch](http://www.suva.ch) und [www.ekas.admin.ch](http://www.ekas.admin.ch)

Grundlegende Maßnahmen:

- Mitarbeiterunterweisungen nach ChemG Art. 28 dokumentieren
- Behälter dicht verschlossen halten
- Von Zündquellen fernhalten bei brennbaren Produkten
- Gut belüftete, trockene Lagerräume verwenden

### Abschnitt 8 - Begrenzung und Überwachung der Exposition

#### Schweizerische Grenzwerte:

Die aktuell gültigen MAK- und KZGW-Werte für alle Inhaltsstoffe sind der aktuellen Ausgabe "SUVA Grenzwerte am Arbeitsplatz" zu entnehmen.

Verfügbar unter: [www.suva.ch](http://www.suva.ch) / Publikationen / Grenzwerte

Persönliche Schutzausrüstung nach SUVA-Richtlinien:

- Schutzhandschuhe: Material und Durchbruchzeiten gemäß Herstellerangaben
- Augenschutz: Schutzbrille mit Seitenschutz gemäß EN 166
- Atemschutz: Bei unzureichender Belüftung entsprechend Produktzusammensetzung
- Hautschutz: Schutzkleidung bei Hautkontaktgefahr

Detaillierte Schutzmaßnahmen: [www.suva.ch](http://www.suva.ch) / PSA-Merkblätter

## **Abschnitt 13 - Hinweise zur Entsorgung**

### **Entsorgung nach schweizerischen Bestimmungen:**

Die ordnungsgemäße Entsorgung ist durchzuführen gemäß:

- Verordnung über die Vermeidung und die Entsorgung von Abfällen (VVEA)
- Verordnung über den Verkehr mit Abfällen (VeVA)
- Gewässerschutzgesetz (GSchG)

Aktuelle Bestimmungen unter: [www.bafu.admin.ch](http://www.bafu.admin.ch) / Abfall

Grundprinzipien:

- Kleinmengen (<5kg): Über kommunale Sammelstellen für Sonderabfall
- Gewerbliche Mengen: Durch VeVA-bewilligte Entsorgungsunternehmen
- Leere Gebinde: Als Verpackungsabfall verwertbar, wenn vollständig entleert
- Nicht in Kanalisation oder Gewässer einleiten

Abfallcode: Siehe aktuelles Abfallverzeichnis (BAFU) oder VeVA-bewilligten Entsorger konsultieren

## **Abschnitt 15 - Rechtsvorschriften**

### **Relevante schweizerische Bestimmungen:**

Dieses Produkt unterliegt verschiedenen schweizerischen Rechtsvorschriften. Die aktuell gültigen Bestimmungen sind zu konsultieren unter:

- ChemRRV (Chemikalien-Risikoreduktions-Verordnung): [www.admin.ch](http://www.admin.ch)
- LRV (Luftreinhalte-Verordnung): [www.admin.ch](http://www.admin.ch)
- StFV (Störfall-Verordnung): [www.admin.ch](http://www.admin.ch)
- Arbeitsschutzbestimmungen: [www.seco.admin.ch](http://www.seco.admin.ch)
- Mutterschutz/Jugendarbeitsschutz: [www.seco.admin.ch](http://www.seco.admin.ch)

Meldepflichten nach ChemRRV Art. 26 bei Inverkehrbringen >100 kg/Jahr beachten.

Zusätzliche branchenspezifische Vorschriften können anwendbar sein.

---

**Deckblatt erstellt: 15.12.2025 - SÜDO JASA AG Müslistrasse 43 CH-8957 Spreitenbach +41 44 439 90 50 [sds@suedojasa.ch](mailto:sds@suedojasa.ch)**

Hinweis: Dieses Deckblatt verweist auf die jeweils aktuellen schweizerischen Bestimmungen. Verwender sind verpflichtet, sich über die aktuell gültigen Vorschriften zu informieren und diese einzuhalten.



## Section 1 - Identification of The Material and Supplier

**Chemical nature:** Polishing agent  
**Trade Name:** **High Performance Marine Compound**  
**Product Code/s:** 53000  
**Product Use:** Marine Polishing Compound  
**Creation Date:** **August, 2018**  
**This version issued:** **July, 2025** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

## Section 2 - Hazards Identification

### Statement of Hazardous Nature

This product is classified as: N, Dangerous to the environment. Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

**SUSMP Classification:** None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

**UN Number:** None allocated

### GHS Signal word: **WARNING**

Hazardous to aquatic environment Short term/Chronic Category 3

#### HAZARD STATEMENT:

AUH066: Repeated exposure may cause skin dryness or cracking.

H412: Harmful to aquatic life with long lasting effects.

#### PREVENTION

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P273: Avoid release to the environment.

#### RESPONSE

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

#### STORAGE

P402+P404: Store in a dry place. Store in a closed container.

#### DISPOSAL

P501: If they can not be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

## Emergency Overview

**Physical Description & Colour:** White liquid

**Odour:** Characteristic odour.

**Major Health Hazards:** repeated exposure may cause skin dryness or cracking.

## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Hydrocarbons, C <sub>9</sub> , aromatics, <0.1% benzene	no data	1-10	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no

## SAFETY DATA SHEET

Issued by: CMS International Pty Ltd

Phone: (02) 9905 8400 (business hours)

**Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)**

longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

---

## Section 4 - First Aid Measures

---

### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

---

## Section 5 - Fire Fighting Measures

---

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Fires involving significant quantities of aromatic hydrocarbons often generate large clouds of black smoke. The smoke and other pyrolysis products may be toxic.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam, water fog. Avoid the use of water jet.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. Cool closed, undamaged containers exposed to fire with water spray.

**Flash point:** 36°C. Product does not sustain combustion.

**Upper Flammability Limit:** No data.

**Lower Flammability Limit:** No data.

**Autoignition temperature:** No data.

**Flammability Class:** Flammable Category 3 (GHS); Flammable (AS1940). Product does not sustain combustion and therefore is not a Dangerous Good under ADG.

---

## Section 6 - Accidental Release Measures

---

**Accidental release:** Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber. Eye/face protective equipment should comprise, as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

---

## Section 7 - Handling and Storage

---

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store packages of this product in a cool place. Make sure that containers of this product are kept tightly closed. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

## SAFETY DATA SHEET

---

## Section 8 - Exposure Controls and Personal Protection

---

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**. Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product for lengthy periods. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

---

## Section 9 - Physical and Chemical Properties:

---

<b>Physical Description &amp; colour:</b>	White liquid
<b>Odour:</b>	Characteristic odour.
<b>Boiling Point:</b>	100°C at 100kPa
<b>Freezing/Melting Point:</b>	No specific data. Liquid at normal temperatures.
<b>Volatiles:</b>	No data.
<b>Vapour Pressure:</b>	No data.
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	1.22 at 20°C
<b>Water Solubility:</b>	Not miscible.
<b>pH:</b>	9 at 20°C
<b>Volatility:</b>	No data.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water Distribution:</b>	No data
<b>Autoignition temp:</b>	No data.

---

## Section 10 - Stability and Reactivity

---

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed.

**Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

---

## Section 11 - Toxicological Information

---

**Local Effects:**

**Target Organs:** There is no data to hand indicating any particular target organs.

---

### Classification of Hazardous Ingredients

---

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

---

### Potential Health Effects

---

**Inhalation**

## SAFETY DATA SHEET

**Short Term Exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

### Skin Contact

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** Repeated exposure may cause skin dryness or cracking.

### Eye Contact

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

### Ingestion

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is not harmful. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

---

## Section 12 - Ecological Information

---

Harmful to aquatic organisms, may cause long-term adverse effects to the aquatic environment. Insufficient data to be sure of status.

---

## Section 13 - Disposal Considerations

---

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable in-house, consider controlled incineration, or contact a specialist waste disposal company.

---

## Section 14 - Transport Information

---

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

---

## Section 15 - Regulatory Information

---

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

---

## Section 16 - Other Information

---

**This SDS contains only safety-related information. For other data see product literature.**

### Acronyms:

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>SWA</b>	Safe Work Australia, formerly ASCC and NOHSC
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines & Poisons
<b>UN Number</b>	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

## SAFETY DATA SHEET

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Copyright © Kilford & Kilford Pty Ltd, July, 2025.

<http://www.kilford.com.au/> Phone (02)8321 8866

**SAFETY DATA SHEET**