

EASY MASK II

EASY MASK II

ABDECKFOLIE TRANSPARENT - ROLLE
MASKING FILM TRANSPARENT - ROLL



**EXPERIENCE.
INNOVATION.
QUALITY.**

www.carsystem.org



EASY MASK II

Art.-Nr.	Beschreibung <i>Description</i>	KP <i>SP</i>	VE <i>MOQ</i>	EAN Code	Ursprungsland <i>Country of origin</i>	Zolltarifnummer <i>Customs number</i>
160.434	EASY MASK II 4 x 150 m	1 St./pcs.	1 St./pcs.	4102871604342	ZA	39201028
160.435	EASY MASK II 5 x 120 m	1 St./pcs.	1 St./pcs.	4102871604359	ZA	39201028

BESCHREIBUNG

- Transparente Standard-Abdeckfolie
- Staubgeschützt in Spenderbox
- Rollenkern: Ø 38mm
- Foliendicke: 10 µm

EINSATZGEBIET

- Für alle notwendigen Abdekarbeiten in einer Lackiererei
- Abdeckfolie für Fahrzeuge und Fahrzeugteile

VORTEILE

- Folie befindet sich staubgeschützt in Spenderbox
- Die Folie ist transparent, um das präzise Zuschneiden zu gewährleisten
- Aufgrund der Statik schmiegt sich die Folie fest an das Fahrzeug an
- Die Folie bietet Lackhaftung
- Einfach zu schneiden
- 120 °C Temperaturresistenz

ANWENDUNGSHINWEIS

- Carsystem EASY MASK II sollte nicht auf nassen oder verschmutzten Oberflächen genutzt werden.

DESCRIPTION

- Standard transparent masking film
- Protected from dust in a dispenser box
- Roll core: Ø 38 mm
- Thickness: 10 µm

AREA OF APPLICATION


- For all necessary masking work in a paint shop
- Masking film for cars and car parts

BENEFITS

- The film is stored in a dispenser box, protected from dust
- The film is transparent to ensure precise cutting
- Due to its static properties, the film adheres firmly to the vehicle
- The film provides paint adhesion
- Easy to cut
- 120 °C temperature resistance

APPLICATION ADVICE

- Carsystem EASY MASK II should not be used on wet or dirty surfaces.



**EXPERIENCE.
INNOVATION.
QUALITY.**

CARSYSTEM HEADQUARTERS
VOSSCHEMIE GmbH
Esinger Steinweg 50 | 25436 Uetersen / Germany

E-Mail: info@vosschemie.de
Tel.: +49 (0) 41 22 / 717-0 | Fax: +49 (0) 41 22 / 717-193



www.carsystem.org